JUN U 5 2007 BY

1

Application Number: 10/601,918

Applicants:

Mikhailovskii Viktor and Myhaylovska Olga

Filing Date:

06/24/2003

Art Unit:

1724

Examiner:

Thomas M. Lithgow

Title:

A Method To Treat Water With Dissolved Gas

Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450

Sir,

In response to the Office Action mailed 05/07/2007, please consider as follows:

The following starting at p.2 Listing of Claims will replace the prior version of Claims in the Application. The examiner pointed that within a Claim1, section "b" (formerly section "i") a newly added phrase should be underlined and a deleted phrase should be marked by a strikethrough.

Because in the Reply from December, 2006 the words of this new phrase were inserted into a paragraph altogether with a strikethrough of other words related to the deleted phrase and these numerous underlining and strikethrough in the section "b" caused this misunderstanding this whole old section "i" was deleted and marked by a strikethrough and replaced by two new underlined paragraphs of section "b". The applicants state that no new matter was added.

Very respectfully,

Applicants:


Viktor Mikhailovskii

V. Mohrany

(Tel/416-503-8078, e-mail vicmikh@hotmail.com)

Olga Myhaylovska

(Tel. 519-725-4417, e-mail omyhaylo@uwaterloo.ca)



Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of Non-Compliant Amendment (37 CFR 1.121)

OIPE	
Application No. 4	Applicant(s)
/ %	
10/601,918(JUN 0 5 2007 To)	MIKHAILOVSKII ET AL.
Examiner \3 4/	Art Unit
(a)	
Thomas M. Lithgow	1724
care on the cause of the the c	amanandanca addraec

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

The amendment document filed on <u>15 February 2007</u> is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following item(s) is required.

item(s) is required.
THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT: 1. Amendments to the specification: A. Amended paragraph(s) do not include markings. B. New paragraph(s) should not be underlined. C. Other
 2. Abstract: A. Not presented on a separate sheet. 37 CFR 1.72. B. Other
3. Amendments to the drawings:
A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet" as required by 37 CFR 1.121(d).
 B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required. C. Other
4. Amendments to the claims:
 A. A complete listing of all of the claims is not present. B. The listing of claims does not include the text of all pending claims (including withdrawn claims) C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following status identifiers: (Original), (Currently amended), (Previously presented), (New), (Not entered), (Withdrawn) and (Withdrawn-currently amended). D. The claims of this amendment paper have not been presented in ascending numerical order. E. Other: See Continuation Sheet.
5. Other (e.g., the amendment is unsigned or not signed in accordance with 37 CFR 1.4):
For further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714.
TIME DEDICAGE FOR THE MARKET A PROPERTY OF THE MARKET AND A PROPERTY OF THE PROPERTY OF THE MARKET AND

TIME PERIODS FOR FILING A REPLY TO THIS NOTICE:

- Applicant is given no new time period if the non-compliant amendment is an after-final amendment or an amendment filed after allowance. If applicant wishes to resubmit the non-compliant after-final amendment with corrections, the entire corrected amendment must be resubmitted.
- 2. Applicant is given one month, or thirty (30) days, whichever is longer, from the mail date of this notice to supply the correction, if the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendment (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a supplemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a Quayle action. If any of above boxes 1. to 4. are checked, the correction required is only the corrected section of the non-compliant amendment in compliance with 37 CFR 1.121.

<u>Extensions of time</u> are available under 37 CFR 1.136(a) <u>only</u> if the non-compliant amendment is a non-final amendment or an amendment filed in response to a *Quayle* action.

Failure to timely respond to this notice will result in:

Abandonment of the application if the non-compliant amendment is a non-final amendment or an amendment filed in response to a *Quayle* action; or

Non-entry of the amendment if the non-compliant amendment is a preliminary amendment or supplemental amendment.

Legal Instruments Examiner (LIE), if applicabilities in Living

Telephone No.

Continuation Sheet (PTOL-324) PTOL-324 (01-06) Notice of Non-Compliant Amendment (37 CFR 1.121)



Continuation Sheet (PTOL-324)



Continuation of 4(e) Other: 37CFR 1.121A requires that all inserted text (added) must be underlined and deleted text should be presented as a strikethrough. A review of claim 1, new section b. indicates that the phrase "caused by a pressure change within the water" is a new addition without the underline and the phrase in old section i, "the small gas bubbles originate from dissolved gas molecules present in either water or a part of water added to said water" should be presented in strikethrough format as required by the rules.